



Outdoor model series : Wall wash lamps

戶外型燈具系列：洗牆燈


◎WS-281701



◎WS-141701



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W*1 TL5 39W, 21W, 24W, 14W*1

Material: **Stainless steel sheet of 1.0mm thickness. The metalwork shall be rust inhibited to prevent corrosion. Sunshade is transparent tempered glass of 3mm thickness. Reflection is nebulized surface aluminum of 0.3mm thickness. (Can choose mirror surface aluminum)**

Application: **Outer wall of the building, tunnel, the wall of the landscape etc.**

Characteristic: **Waterproof lighting.**



Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	WS-801701	T5→TL5 80W×2	Electronic ballast	1500×124×105mm (L1:1524 , H1:142)
	WS-801701	T5→TL5 35W×2	Electronic ballast	1500×124×105mm (L1:1524 , H1:142)
	WS-801701	T5→TL5 54W×2	Electronic ballast	1200×124×105mm (L1:1224 , H1:142)
	WS-801701	T5→TL5 28W×2	Electronic ballast	1200×124×105mm (L1:1224 , H1:142)
	WS-801701	T5→TL5 39W×2	Electronic ballast	900×124×105mm (L1:924 , H1:142)
	WS-801701	T5→TL5 21W×2	Electronic ballast	900×124×105mm (L1:924 , H1:142)
	WS-801701	T5→TL5 24W×2	Electronic ballast	600×124×105mm (L1:624 , H1:142)
	WS-801701	T5→TL5 14W×2	Electronic ballast	600×124×105mm (L1:624 , H1:142)


Outdoor model series : Wall wash lamps

戶外型燈具系列：洗牆燈

©WS-281702



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W*1 TL5 39W, 21W, 24W, 14W*1

Material: **Stainless steel sheet of 1.0mm thickness. The metalwork shall be rust inhibited to prevent corrosion. Sunshade is transparent tempered glass of 3mm thickness. Reflection is mild steel sheet of 0.5mm thickness. (Can choose mirror surface aluminum)**

Application: **Outer wall of the building, tunnel, the wall of the landscape etc.**


Characteristic: **Waterproof lighting.**

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	WS-801702	T5→TL5 80W×2	Electronic ballast	1510×125×108mm (L1:1548 , H1:233)
	WS-351702	T5→TL5 35W×2	Electronic ballast	1510×125×108mm (L1:1548 , H1:233)
	WS-541702	T5→TL5 54W×2	Electronic ballast	1210×125×108mm (L1:1248 , H1:233)
	WS-281702	T5→TL5 28W×2	Electronic ballast	1210×125×108mm (L1:1248 , H1:233)
	WS-391702	T5→TL5 39W×2	Electronic ballast	910×125×108mm (L1:948 , H1:233)
	WS-211702	T5→TL5 21W×2	Electronic ballast	910×125×108mm (L1:948 , H1:233)
	WS-241702	T5→TL5 24W×2	Electronic ballast	1510×125×108mm (L1:648 , H1:233)
	WS-141702	T5→TL5 14W×2	Electronic ballast	1510×125×108mm (L1:648 , H1:233)


Outdoor model series : Wall wash lamps

戶外型燈具系列：洗牆燈

©WS-282700



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W*2 TL5 39W, 21W, 24W, 14W*2

Material: **Stainless steel sheet of 1.0mm thickness. The metalwork shall be rust inhibited to prevent corrosion. Sunshade is transparent tempered glass of 3mm thickness. Reflection is mirror surface aluminum of 0.3mm thickness. (Can choose nebulized surface aluminum)**

Application: **Outer wall of the building, tunnel, the wall of the landscape etc.**

Characteristic: **Waterproof lighting.**

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	WS-802700	T5→TL5 80W×2	Electronic ballast	1500×124×105mm (L1:1524 , H1:135)
	WS-352702	T5→TL5 35W×2	Electronic ballast	1500×124×105mm (L1:1524 , H1:135)
	WS-542702	T5→TL5 54W×2	Electronic ballast	1200×124×105mm (L1:1224 , H1:135)
	WS-282702	T5→TL5 28W×2	Electronic ballast	1200×124×105mm (L1:1224 , H1:135)
	WS-392702	T5→TL5 39W×2	Electronic ballast	900×124×105mm (L1:924 , H1:135)
	WS-2121702	T5→TL5 21W×2	Electronic ballast	900×124×105mm (L1:924 , H1:135)
	WS-242702	T5→TL5 24W×2	Electronic ballast	600×124×105mm (L1:624 , H1:135)
	WS-142702	T5→TL5 14W×2	Electronic ballast	600×124×105mm (L1:624 , H1:135)


Outdoor model series : Wall wash lamps

戶外型燈具系列：洗牆燈

©WS-803872



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W*3

TL5 80W, 35W, 54W, 28W*2

TL5 39W, 21W, 24W, 14W*3

TL5 39W, 21W, 24W, 14W*2

TL5 80W, 35W*1

Material: **Stainless steel sheet of 1.0mm thickness. The metalwork shall be rust inhibited to prevent corrosion. Sunshade is transparent tempered glass of 3mm thickness. Reflection is mild steel sheet of 0.5mm thickness.**

Application: **Outer wall of the building, tunnel, the wall of the landscape etc.**

Characteristic: **Waterproof lighting.**

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	WS-803872	T5→TL5 80W×3	Electronic ballast	1521×148×108mm
	WS-353872	T5→TL5 35W×3	Electronic ballast	1521×148×108mm
	WS-543872	T5→TL5 54W×3	Electronic ballast	1221×148×108mm
	WS-283872	T5→TL5 28W×3	Electronic ballast	1221×148×108mm
	WS-393872	T5→TL5 39W×3	Electronic ballast	921×148×108mm
	WS-213872	T5→TL5 21W×3	Electronic ballast	921×148×108mm
	WS-243872	T5→TL5 24W×3	Electronic ballast	621×148×108mm
	WS-143872	T5→TL5 14W×3	Electronic ballast	621×148×108mm
	WS-802872	T5→TL5 80W×2	Electronic ballast	1521×148×108mm
	WS-352872	T5→TL5 35W×2	Electronic ballast	1521×148×108mm
	WS-542872	T5→TL5 54W×2	Electronic ballast	1221×148×108mm
	WS-282872	T5→TL5 28W×2	Electronic ballast	1221×148×108mm
	WS-392872	T5→TL5 39W×2	Electronic ballast	921×148×108mm
	WS-212872	T5→TL5 21W×2	Electronic ballast	921×148×108mm
	WS-242872	T5→TL5 24W×2	Electronic ballast	621×148×108mm
	WS-142872	T5→TL5 14W×2	Electronic ballast	621×148×108mm
	WS-801872	T5→TL5 80W×1	Electronic ballast	1521×148×108mm
	WS-351872	T5→TL5 35W×1	Electronic ballast	1521×148×108mm

