


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NS-44871



◎NS-24871



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *4

TL5 54W, 28W, 24W, 14W *3

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Sunshade is nebulized surface aluminum of 0.3mm thickness. (Can choose mirror surface aluminum)

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NS-544871	T5→TL5 54Wx4	Electronic ballast	1230x610x70mm
	NS-284871	T5→TL5 28Wx4	Electronic ballast	1230x610x70mm
	NS-244871	T5→TL5 24Wx4	Electronic ballast	610x610x70mm
	NS-144871	T5→TL5 14Wx4	Electronic ballast	610x610x70mm
	NS-543871	T5→TL5 54Wx3	Electronic ballast	1230x610x70mm
	NS-283871	T5→TL5 28Wx3	Electronic ballast	1230x610x70mm
	NS-243871	T5→TL5 24Wx3	Electronic ballast	610x610x70mm
	NS-143871	T5→TL5 14Wx3	Electronic ballast	610x610x70mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NS-42871



◎NS-22871



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *2

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Sunshade is nebulized surface aluminum of 0.3mm thickness. (Can choose mirror surface aluminum)

Application: Hhypermarket , Department store, supermarket, building, factory, library etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NS-542871	T5→TL5 54W×2	Electronic ballast	1230×300×70mm
	NS-282871	T5→TL5 28W×2	Electronic ballast	1230×300×70mm
	NS-242871	T5→TL5 24W×2	Electronic ballast	610×300×70mm
	NS-142871	T5→TL5 14W×2	Electronic ballast	610×300×70mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NS-44881



◎NS-24881



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *4 54W, 28W, 24W, 14W *3 54W, 28W, 24W, 14W *2

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Sunshade is PS type.

Application: Hypermarket, Department store, supermarket, building, factory, toilet, kitchen etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NS-544881	T5→TL5 54Wx4	Electronic ballast	1260x635x115mm
	NS-284881	T5→TL5 28Wx4	Electronic ballast	1260x635x115mm
	NS-244881	T5→TL5 24Wx4	Electronic ballast	635x635x115mm
	NS-144881	T5→TL5 14Wx4	Electronic ballast	635x635x115mm
	NS-543881	T5→TL5 54Wx3	Electronic ballast	1260x635x115mm
	NS-283881	T5→TL5 28Wx3	Electronic ballast	1260x635x115mm
	NS-243881	T5→TL5 24Wx3	Electronic ballast	635x635x115mm
	NS-143881	T5→TL5 14Wx3	Electronic ballast	635x635x115mm
	NS-542881	T5→TL5 54Wx2	Electronic ballast	1260x635x115mm
	NS-282881	T5→TL5 28Wx2	Electronic ballast	1260x635x115mm
	NS-242881	T5→TL5 24Wx2	Electronic ballast	635x635x115mm
	NS-142881	T5→TL5 14Wx2	Electronic ballast	635x635x115mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-582590



◎NE-282570



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hypermarket, Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-802570	T5→TL5 80W×4	Electronic ballast	1470×70×56mm
	NE-352570	T5→TL5 35W×4	Electronic ballast	1470×70×56mm
	NE-542570	T5→TL5 54W×4	Electronic ballast	1170×70×56mm
	NE-282570	T5→TL5 28W×4	Electronic ballast	1170×70×56mm
	NE-392570	T5→TL5 39W×3	Electronic ballast	870×70×56mm
	NE-212570	T5→TL5 21W×3	Electronic ballast	870×70×56mm
	NE-242570	T5→TL5 24W×3	Electronic ballast	570×70×56mm
	NE-142570	T5→TL5 14W×3	Electronic ballast	570×70×56mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©NE-42590+RE



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Reflector is mirror surface aluminum of 0.3mm thickness.(Can choose nebulized surface) or
SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-802570+RE	T5→TL5 80W×2	Electronic ballast	1470×110×60mm
	NE-352570+RE	T5→TL5 35W×2	Electronic ballast	1470×110×60mm
	NE-542570+RE	T5→TL5 54W×2	Electronic ballast	1170×110×60mm
	NE-282570+RE	T5→TL5 28W×2	Electronic ballast	1170×110×60mm
	NE-392570+RE	T5→TL5 39W×2	Electronic ballast	870×110×60mm
	NE-212570+RE	T5→TL5 21W×2	Electronic ballast	870×110×60mm
	NE-242570+RE	T5→TL5 24W×2	Electronic ballast	570×110×60mm
	NE-142570+RE	T5→TL5 14W×2	Electronic ballast	570×110×60mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-42560



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hypermarket, Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NE-802560	T5→TL5 80Wx2	Electronic ballast	1470x68x63mm
	NE-352560	T5→TL5 35Wx2	Electronic ballast	1470x68x63mm
	NE-542560	T5→TL5 54Wx2	Electronic ballast	1170x68x63mm
	NE-282560	T5→TL5 28Wx2	Electronic ballast	1170x68x63mm
	NE-392560	T5→TL5 39Wx2	Electronic ballast	870x68x63mm
	NE-212560	T5→TL5 21Wx2	Electronic ballast	870x68x63mm
	NE-242560	T5→TL5 24Wx2	Electronic ballast	570x68x63mm
	NE-142560	T5→TL5 14Wx2	Electronic ballast	570x68x63mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©NE-42560+RE



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.3mm thickness.(Can choose nebulized surface) or
SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NE-802560+RE	T5→TL5 80Wx2	Electronic ballast	1470x150x65mm
	NE-352560+RE	T5→TL5 35Wx2	Electronic ballast	1470x150x65mm
	NE-542560+RE	T5→TL5 54Wx2	Electronic ballast	1170x150x65mm
	NE-282560+RE	T5→TL5 28Wx2	Electronic ballast	1170x150x65mm
	NE-392560+RE	T5→TL5 39Wx2	Electronic ballast	870x150x65mm
	NE-212560+RE	T5→TL5 21Wx2	Electronic ballast	870x150x65mm
	NE-242560+RE	T5→TL5 24Wx2	Electronic ballast	570x150x65mm
	NE-142560+RE	T5→TL5 14Wx2	Electronic ballast	570x150x65mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-41553



◎NE-141535



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801535	T5→TL5 80W×1	Electronic ballast	1470×37×56mm
	NE-351535	T5→TL5 35W×1	Electronic ballast	1470×37×56mm
	NE-541535	T5→TL5 54W×1	Electronic ballast	1170×37×56mm
	NE-281535	T5→TL5 28W×1	Electronic ballast	1170×37×56mm
	NE-391535	T5→TL5 39W×1	Electronic ballast	870×37×56mm
	NE-211535	T5→TL5 21W×1	Electronic ballast	870×37×56mm
	NE-241535	T5→TL5 24W×1	Electronic ballast	570×37×56mm
	NE-141535	T5→TL5 14W×1	Electronic ballast	570×37×56mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-21559



◎NE5-141559



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801559	T5→TL5 80W×1	Electronic ballast	1480×32×36mm
	NE-351559	T5→TL5 35W×1	Electronic ballast	1480×32×36mm
	NE-541559	T5→TL5 54W×1	Electronic ballast	1180×32×36mm
	NE-281559	T5→TL5 28W×1	Electronic ballast	1180×32×36mm
	NE-391559	T5→TL5 39W×1	Electronic ballast	880×32×36mm
	NE-211559	T5→TL5 21W×1	Electronic ballast	880×32×36mm
	NE-241559	T5→TL5 24W×1	Electronic ballast	580×32×36mm
	NE-141559	T5→TL5 14W×1	Electronic ballast	580×32×36mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NE-281558



◎NE-141558



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801558	T5→TL5 80W×1	Electronic ballast	1468×38×59mm
	NE-351558	T5→TL5 35W×1	Electronic ballast	1468×38×59mm
	NE-541558	T5→TL5 54W×1	Electronic ballast	1168×38×59mm
	NE-2815598	T5→TL5 28W×1	Electronic ballast	1168×38×59mm
	NE-391558	T5→TL5 39W×1	Electronic ballast	868×38×59mm
	NE-211558	T5→TL5 21W×1	Electronic ballast	868×38×59mm
	NE-241558	T5→TL5 24W×1	Electronic ballast	568×38×59mm
	NE-141558	T5→TL5 14W×1	Electronic ballast	568×38×59mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NE-42557



◎NE-282557



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NE-802557	T5→TL5 80W×2	Electronic ballast	1500×160×55mm
	NE-352557	T5→TL5 35W×2	Electronic ballast	1500×160×55mm
	NE-542557	T5→TL5 54W×2	Electronic ballast	1200×160×55mm
	NE-282557	T5→TL5 28W×2	Electronic ballast	1200×160×55mm
	NE-392557	T5→TL5 39W×2	Electronic ballast	900×160×55mm
	NE-212557	T5→TL5 21W×2	Electronic ballast	900×160×55mm
	NE-242557	T5→TL5 24W×2	Electronic ballast	600×160×55mm
	NE-142557	T5→TL5 14W×2	Electronic ballast	600×160×55mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NE-41557



◎NE-281557



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hypermarket, Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801557	T5→TL5 80W×1	Electronic ballast	1495×103×65mm
	NE-351557	T5→TL5 35W×1	Electronic ballast	1495×103×65mm
	NE-541557	T5→TL5 54W×1	Electronic ballast	1195×103×65mm
	NE-281557	T5→TL5 28W×1	Electronic ballast	1195×103×65mm
	NE-391557	T5→TL5 39W×1	Electronic ballast	895×103×65mm
	NE-211557	T5→TL5 21W×1	Electronic ballast	895×103×65mm
	NE-241557	T5→TL5 24W×1	Electronic ballast	595×103×65mm
	NE-141557	T5→TL5 14W×1	Electronic ballast	595×103×65mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NE-42554



◎NE5-282554



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Reflector is mirror surface aluminum of 0.3mm thickness or SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-802554	T5→TL5 80W×2	Electronic ballast	1500×192×80mm
	NE-352554	T5→TL5 35W×2	Electronic ballast	1500×192×80mm
	NE-542554	T5→TL5 54W×2	Electronic ballast	1200×192×80mm
	NE-282554	T5→TL5 28W×2	Electronic ballast	1200×192×80mm
	NE-392554	T5→TL5 39W×2	Electronic ballast	900×192×80mm
	NE-212554	T5→TL5 21W×2	Electronic ballast	900×192×80mm
	NE-242554	T5→TL5 24W×2	Electronic ballast	600×192×80mm
	NE-142554	T5→TL5 14W×2	Electronic ballast	600×192×80mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具


◎NE-41554



◎NE5-281554



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.3mm thickness or SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801554	T5→TL5 80W×1	Electronic ballast	1470×94×60mm
	NE-351554	T5→TL5 35W×1	Electronic ballast	1470×94×60mm
	NE-541554	T5→TL5 54W×1	Electronic ballast	1170×94×60mm
	NE-281554	T5→TL5 28W×1	Electronic ballast	1170×94×60mm
	NE-391554	T5→TL5 39W×1	Electronic ballast	870×94×60mm
	NE-211554	T5→TL5 21W×1	Electronic ballast	870×94×60mm
	NE-241554	T5→TL5 24W×1	Electronic ballast	570×94×60mm
	NE-141554	T5→TL5 14W×1	Electronic ballast	570×94×60mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-42554W



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.3mm thickness or SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory, garden,basement, parking lot, moist place etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NE-802554W	T5→TL5 80Wx2	Electronic ballast	1494x210x101mm
	NE-352554W	T5→TL5 35Wx2	Electronic ballast	1494x210x101mm
	NE-542554W	T5→TL5 54Wx2	Electronic ballast	1194x210x101mm
	NE-282554W	T5→TL5 28Wx2	Electronic ballast	1194x210x101mm
	NE-392554W	T5→TL5 39Wx2	Electronic ballast	894x210x101mm
	NE-212554W	T5→TL5 21Wx2	Electronic ballast	894x210x101mm
	NE-242554W	T5→TL5 24Wx2	Electronic ballast	594x210x101mm
	NE-142554W	T5→TL5 14Wx2	Electronic ballast	594x210x101mm




Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-41553W



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Application: Hhypermarket , Department store, supermarket, building, factory, garden, basement, parking lot, moist place etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801535W	T5→TL5 80W×2	Electronic ballast	1494×210×101mm
	NE-351535W	T5→TL5 35W×2	Electronic ballast	1494×210×101mm
	NE-541535W	T5→TL5 54W×2	Electronic ballast	1194×210×101mm
	NE-281535W	T5→TL5 28W×2	Electronic ballast	1194×210×101mm
	NE-391535W	T5→TL5 39W×2	Electronic ballast	894×210×101mm
	NE-211535W	T5→TL5 21W×2	Electronic ballast	894×210×101mm
	NE-241535W	T5→TL5 24W×2	Electronic ballast	594×210×101mm
	NE-141535W	T5→TL5 14W×2	Electronic ballast	594×210×101mm




Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©NE-41554W



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *1 TL5 39W, 21W, 24W, 14W *1

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.3mm thickness or SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory, garden, basement, parking lot, moist place etc.


Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-801554W	T5→TL5 80W×2	Electronic ballast	1494×150×101mm
	NE-351554W	T5→TL5 35W×2	Electronic ballast	1494×150×101mm
	NE-541554W	T5→TL5 54W×2	Electronic ballast	1194×150×101mm
	NE-281554W	T5→TL5 28W×2	Electronic ballast	1194×150×101mm
	NE-391554W	T5→TL5 39W×2	Electronic ballast	894×150×101mm
	NE-211554W	T5→TL5 21W×2	Electronic ballast	894×150×101mm
	NE-241554W	T5→TL5 24W×2	Electronic ballast	594×150×101mm
	NE-141554W	T5→TL5 14W×2	Electronic ballast	594×150×101mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©FR3202B



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W *2

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.6mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory, garden, basement, parking lot, moist place etc.


Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	FR5402B	T5→TL5 80W×2	Electronic ballast	1200×320×60mm
	FR2802B	T5→TL5 35W×2	Electronic ballast	1200×320×60mm

Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-282530



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *2 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.5mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.3mm thickness or SPCC coated fixture of 0.5mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-802530	T5→TL5 80W×2	Electronic ballast	1470×150×72mm
	NE-352530	T5→TL5 35W×2	Electronic ballast	1470×150×72mm
	NE-542530	T5→TL5 54W×2	Electronic ballast	1170×150×72mm
	NE-282530	T5→TL5 28W×2	Electronic ballast	1170×150×72mm
	NE-392530	T5→TL5 39W×2	Electronic ballast	870×150×72mm
	NE-212530	T5→TL5 21W×2	Electronic ballast	870×150×72mm
	NE-242530	T5→TL5 24W×2	Electronic ballast	570×150×72mm
	NE-142530	T5→TL5 14W×2	Electronic ballast	570×150×72mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NS-43855



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *3

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
SPCC coated fixture of 0.5mm thickness. Sunshade is PS type. (Can choose other materials)

Application: Hypermarket, Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NS-543855	T5→TL5 54Wx2	Electronic ballast	1230x610x70mm
	NS-283855	T5→TL5 28Wx2	Electronic ballast	1230x610x70mm
	NS-244855	T5→TL5 24Wx2	Electronic ballast	610x610x70mm
	NS-144855	T5→TL5 14Wx2	Electronic ballast	610x610x70mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎FD/336



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *3 TL5 39W, 21W, 24W, 14W *2

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
Reflector is mirror surface aluminum of 0.5mm thickness. Sunshade is PS type of 2.0mm thickness

Application: Hhypermarket , Department store, supermarket, building, factory etc.


Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	FD/380	T5→TL5 80W×3	Electronic ballast	1550×300×125mm
	FD/335	T5→TL5 35W×3	Electronic ballast	1550×300×125mm
	FD/354	T5→TL5 54W×3	Electronic ballast	1250×300×125mm
	FD/328	T5→TL5 28W×3	Electronic ballast	1250×300×125mm
	FD/339	T5→TL5 39W×3	Electronic ballast	901×300×125mm
	FD/321	T5→TL5 21W×3	Electronic ballast	901×300×125mm
	FD/324	T5→TL5 24W×3	Electronic ballast	631×300×125mm
	FD/314	T5→TL5 14W×3	Electronic ballast	631×300×125mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©NS-44801



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *4 TL5 39W, 21W, 24W, 14W *4

Material: Mild steel sheet of 1.0mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Reflector is mirror surface aluminum of 0.3mm thickness.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NS-804801	T5→TL5 80Wx4	Electronic ballast	1550x300x125mm
	NS-354801	T5→TL5 35Wx4	Electronic ballast	1550x300x125mm
	NS-544801	T5→TL5 54Wx4	Electronic ballast	1250x300x125mm
	NS-284801	T5→TL5 28Wx4	Electronic ballast	1250x300x125mm
	NS-394801	T5→TL5 39Wx4	Electronic ballast	901x300x125mm
	NS-214801	T5→TL5 21Wx4	Electronic ballast	901x300x125mm
	NS-244801	T5→TL5 24Wx4	Electronic ballast	631x300x125mm
	NS-144801	T5→TL5 14Wx4	Electronic ballast	631x300x125mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©NB-22312



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 14W *3 TL5 14W *2

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Sunshade is acrylic shade of milky white.

Application: Kitchen, toilet, balcony etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NB-143312	T5→TL5 14W×3	Electronic ballast	664×302×95mm
	NB-142312	T5→TL5 14W×2	Electronic ballast	664×302×95mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

©NB-182313



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: PL PL –L 55W, 40W, 36W, 24W, 2W, 18W*4 PL PL –L 55W, 40W, 36W, 24W, 2W, 18W*3
 PL PL –L 55W, 40W, 36W, 24W, 2W, 18W*2

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
 Sunshade is acrylic shade of milky white.

Application: Kitchen, toilet, balcony etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.


Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NB-504313	PL→PL-L50Wx4	Electronic ballast	600x600x65mm
	NB-504313	PL→PL-L40Wx4	Electronic ballast	600x600x65mm
	NB-504313	PL→PL-L36Wx4	Electronic ballast	450x450x65mm
	NB-504313	PL→PL-L24Wx4	Electronic ballast	360x360x65mm
	NB-504313	PL→PL-L18Wx4	Electronic ballast	270x270x65mm
	NB-504313	PL→PL-L50Wx3	Electronic ballast	600x600x65mm
	NB-504313	PL→PL-L40Wx3	Electronic ballast	600x600x65mm
	NB-504313	PL→PL-L36Wx3	Electronic ballast	450x450x65mm
	NB-504313	PL→PL-L24Wx3	Electronic ballast	360x360x65mm
	NB-504313	PL→PL-L18Wx3	Electronic ballast	270x270x65mm
	NB-504313	PL→PL-L50Wx2	Electronic ballast	600x600x65mm
	NB-504313	PL→PL-L40Wx2	Electronic ballast	600x600x65mm
	NB-504313	PL→PL-L36Wx2	Electronic ballast	450x450x65mm
	NB-504313	PL→PL-L24Wx2	Electronic ballast	360x360x65mm
	NB-504313	PL→PL-L18Wx2	Electronic ballast	270x270x65mm

Public space lighting series : Multi-purpose lamps
公共空間照明系列：吸頂式多用途燈具

©NB-21314



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 14W *1

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
 Sunshade is PS of transparent .

Application: Kitchen, toilet, balcony etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NB-141314	T5→TL5 14W×1	Electronic ballast	652×134×91mm


Public space lighting series : Multi-purpose lamps

公共空間照明系列：吸頂式多用途燈具

◎NE-43554



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 80W, 35W, 54W, 28W *3 TL5 39W, 21W, 24W, 14W *3

Material: Mild steel sheet of 0.6mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Sunshade is acrylic shade of milky white.

Application: Hhypermarket , Department store, supermarket, building, factory etc.

Characteristic: Made-in-Taiwan quality electronic ballast installed.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NE-803554	T5→TL5 80W×3	Electronic ballast	1470×135×60mm
	NE-353554	T5→TL5 35W×3	Electronic ballast	1470×135×60mm
	NE-543554	T5→TL5 54W×3	Electronic ballast	1170×135×60mm
	NE-283554	T5→TL5 28W×3	Electronic ballast	1170×135×60mm
	NE-393554	T5→TL5 39W×3	Electronic ballast	870×135×60mm
	NE-213554	T5→TL5 21W×3	Electronic ballast	870×135×60mm
	NE-243554	T5→TL5 24W×3	Electronic ballast	570×135×60mm
	NE-143554	T5→TL5 14W×3	Electronic ballast	570×135×60mm