


Clean room lighting series : Ceiling Mounted lamps

無塵式照明系列：吸頂型燈具

◎JF-43848



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *3

TL5 54W, 28W, 24W, 14W *2

Material: Mild steel sheet of 0.8mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Sunshade is acrylic shade.(Can choose PS type or P6 type)

Application: clean room, wafer fabs etc.

Characteristic: Made-in-Taiwan quality high power-factor electronic ballast.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	JF-543848	T5→TL5 54W×3	Electronic ballast	1240×305×100mm
	JF-283848	T5→TL5 28W×3	Electronic ballast	1240×305×100mm
	JF-243848	T5→TL5 24W×3	Electronic ballast	620×305×100mm
	JF-143848	T5→TL5 14W×3	Electronic ballast	620×305×100mm
	JF-542848	T5→TL5 54W×2	Electronic ballast	1240×305×100mm
	JF-282848	T5→TL5 28W×2	Electronic ballast	1240×305×100mm
	JF-242848	T5→TL5 24W×2	Electronic ballast	620×305×100mm
	JF-142848	T5→TL5 14W×2	Electronic ballast	620×305×100mm


Clean room lighting series : Ceiling Mounted lamps

無塵式照明系列：吸頂型燈具

◎NS-GMP-42951



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *3

TL5 54W, 28W, 24W, 14W *2

Material: Mild steel sheet of 0.8mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Sunshade is transparent tempered glass of 3.0mm thickness.

Application: clean room, wafer fabs etc.

Characteristic: Made-in-Taiwan quality high power-factor electronic ballast.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NS-GMP-543951	T5→TL5 54W×3	Electronic ballast	1255×300×110mm
	NS-GMP-283951	T5→TL5 28W×3	Electronic ballast	1255×300×110mm
	NS-GMP-243951	T5→TL5 24W×3	Electronic ballast	636×300×110mm
	NS-GMP-143951	T5→TL5 14W×3	Electronic ballast	636×300×110mm
	NS-GMP-542951	T5→TL5 54W×2	Electronic ballast	1255×300×110mm
	NS-GMP-282951	T5→TL5 28W×2	Electronic ballast	1255×300×110mm
	NS-GMP-242951	T5→TL5 24W×2	Electronic ballast	636×300×110mm
	NS-GMP-142951	T5→TL5 14W×2	Electronic ballast	636×300×110mm


Clean room lighting series : Ceiling Mounted lamps

無塵式照明系列：吸頂型燈具

©NS-GMP-43870



Lighting frame dimensions (燈具尺寸示意圖):



Direction (說明):

For lamps: T5 TL5 54W, 28W, 24W, 14W *3

TL5 54W, 28W, 24W, 14W *2

Material: Mild steel sheet of 0.8mm thickness. The metalwork shall be rust inhibited to prevent corrosion.

Sunshade is transparent tempered glass of 3.0mm thickness.

Application: clean room, wafer fabs etc.

Characteristic: Made-in-Taiwan quality high power-factor electronic ballast.

Note	Type	For lamps	Ballast	Dimension (LxWxH)
	NS-GMP-543870	T5→TL5 54Wx3	Electronic ballast	1297x340x130mm
	NS-GMP-283870	T5→TL5 28Wx3	Electronic ballast	1297x340x130mm
	NS-GMP-243870	T5→TL5 24Wx3	Electronic ballast	697x340x130mm
	NS-GMP-143870	T5→TL5 14Wx3	Electronic ballast	697x340x130mm
	NS-GMP-542870	T5→TL5 54Wx2	Electronic ballast	1297x340x130mm
	NS-GMP-282870	T5→TL5 28Wx2	Electronic ballast	1297x340x130mm
	NS-GMP-242870	T5→TL5 24Wx2	Electronic ballast	697x340x130mm
	NS-GMP-142870	T5→TL5 14Wx2	Electronic ballast	697x340x130mm

Clean room lighting series : Ceiling Mounted lamps


無塵式照明系列：吸頂型燈具

©NS-GMP-436




Lighting frame dimensions (燈具尺寸示意圖):

4 tube



3 tube



Direction (說明):

For lamps: T5 TL5 54W, 28W *4 TL5 54W, 28W *3

Material: Mild steel sheet of 0.8mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
 SPCC coated fixture of 0.8mm thickness. Sunshade is transparent tempered glass of 3.0mm thickness.

Application: clean room, wafer fabs etc.

Characteristic: Made-in-Taiwan quality high power-factor electronic ballast.

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NS-GMP-454	T5→TL5 54W×4	Electronic ballast	1225×603×100mm
	NS-GMP-428	T5→TL5 28W×4	Electronic ballast	1225×603×100mm
	NS-GMP-354	T5→TL5 54W×3	Electronic ballast	1225×603×100mm
	NS-GMP-328	T5→TL5 28W×3	Electronic ballast	1225×603×100mm

Clean room lighting series : Ceiling Mounted lamps


無塵式照明系列：吸頂型燈具

©NS-GMP-418




Lighting frame dimensions (燈具尺寸示意圖):

4 tube



3 tube



Direction (說明):

For lamps: T5 TL5 24W, 14W *4 TL5 24W, 14W *3

Material: Mild steel sheet of 0.8mm thickness. The metalwork shall be rust inhibited to prevent corrosion.
 SPCC coated fixture of 0.8mm thickness. Sunshade is transparent tempered glass of 3.0mm thickness.

Application: clean room, wafer fabs etc.

Characteristic: Made-in-Taiwan quality high power-factor electronic ballast

Note	Type	For lamps	Ballast	Dimension (L×W×H)
	NS-GMP-424	T5→TL5 24W×4	Electronic ballast	603×603×100mm
	NS-GMP-414	T5→TL5 14W×4	Electronic ballast	603×603×100mm
	NS-GMP-324	T5→TL5 24W×3	Electronic ballast	603×603×100mm
	NS-GMP-314	T5→TL5 14W×3	Electronic ballast	603×603×100mm